

Литература

- Arredi, B., Poloni, E.S., Paracchini, S., Zerjal, T., Fathallah, D.M., Makrelouf, M., Pascali, V.L., Novelletto, A., Tyler-Smith, C. (2004) A predominantly Neolithic origin for Y-chromosomal DNA variation in North Africa. *Am. J. Hum. Genet.* 75, 338-345.
- Atkinson, Q.D. (2011) Phonemic diversity supports a serial founder effect model of language expansion from Africa. *Science* 332, 346-349.
- Behar, D.M., van Oven, M., Rosset, S., Metspalu, M., Loogvali, E.-L., Silva, N.M., Kivisild, T., Torroni, A., Villems, R. (2012) A “Copernican” reassessment of the human mitochondrial DNA tree from its root. *Amer. J. Hum. Genet.* 90, 675-684.
- Behar, D. M., Villems, R., Soodyall, H., Blue-Smith, J., Pereira, L., Metspalu, E., Scozzari, R. et al. (2008). The dawn of human matrilineal diversity. *Am. J. Hum. Genetics*, 82, 1130-1140.
- Benazzi, S., Douka, K., Fornai, C., Bauer, C. C., Kullmer, O., Svoboda, J. et al. (2011). Early dispersal of modern humans in Europe and implications for Neanderthal behaviour. *Nature*, 479, 525-528.
- Campbell, M. C., Tishkoff, S. A. (2010). The evolution of human genetic And phenotypic variation in Africa. *Current Biology*, 20, R166-R173.
- Cann, R.L., Stoneking, M., Wilson, A.C. (1987) Mitochondrial DNA and human evolution. *Nature* 325, 31-36.
- Cann, R. (2013) Y weigh in again on modern humans. *Science*, 341, 465-467.
- Carrigan, D., Hammer, M. F. (2006). Reconstructing human origins in the genomic era. *Nature Reviews*, 7, 669-680.
- Chiaroni, J., Underhill, P. A., Cavalli-Sforza, L. L. (2009). Y-chromosome diversity, human expansion, drift, and cultural evolution. *Proc. Natl. Acad. Sci. US*, 106, 20174-20179.
- Cruciani, F., Trombetta, B., Sellitto, D., Massaia, A., Destro-Bisol, G., Watson, E., Colomb, E.B., Dugoujon, J.-M., Moral, P., Scozzari, R. (2010) Human Y chromosome haplogroup R-V88: a paternal genetic record of early mid Holocene trans-Saharan connections and the spread of Chadic languages. *Eur. J. Human Genet.* 18, 800-807.
- Cruciani, F., Trombetta, B., Massaia, A., Destro-Bisol, G., Sellitto, D., Scozzari, R. (2011) A revised root for the human Y chromosomal phylogenetic tree: the

origin of patrilineal diversity in Africa. *Amer. J. Human Genet.* 88, 1-5.

Curnoe, D., Xueping, J., Herries, A. I. R., Kanning, B., Tacon, P. S. C., Zhende, B., Fink, D. et al. (2012). Human remains from the Pleistocene-holocene transition of Southwest China suggest a complex evolutionary history for East Asians. *PLOS One*, 7, e31918.

Edmonds, C. A., Lillie, A. S., Cavalli-Sforza, L. L. (2004) Mutations arising in the wave front of an expanding population. *Proc. National Acad. Sci. US*, 101, 975-979.

Fernandes, V., Alshamali, F., Alves, M., Costa, M. D., Pereira, J. B., Silva, N. M. et al. (2012). The Arabian cradle: Mitochondrial relicts of the first steps along the Southern route out of Africa. *Am. J. Hum. Genet.*, 90, 347-355.

Forster, P. (2004) Ice Ages and the mitochondrial DNA chronology of human dispersals: a review. *Phil. Trans. R. Soc. Lond. B*, 359, 255-264

Forster, P., Torroni, A., Renfrew, C., Rohl, A. (2001) Phylogenetic star contraction applied to Asian and Papuan mtDNA evolution. *Mol. Biol. Evol.* 18, 1864-1881.

Francalacci, P., Morelli, L., Angius, A., Berutti, R., Reinier, F., Atzeni, R., Pilu, R., Busonero, F., Maschio, A., Zara, I., Sanna, D., Useli, A., Urru, M.F., Marcelli, M., Cusano, R., Oppo, M., Zoledziewska, M., Pitzalis, M., Deidda, F., Porcu, E., Poddie, F., Kang, H.M., Lyons, R., Tarrier, B., Gresham, J.B., Li, B., Tofanelli, S., Alonso, S., Dei, M., Lai, S., Mulas, A., Whalen, M.B., Uzzau, S., Jones, C., Schlessinger, D., Abecasis, G.R., Sanna, S., Sidore, C., Cucca, F. (2013) Low-pass DNA sequencing of 1200 Sardinians reconstructs European Y-chromosome phylogeny. *Science*, 341, 565-569.

Grine, F.E., Bailey, R.M., Harvati, K., Nathan, R.P., Morris, A.G., Henderson, G.M., Ribot, I., Pike, A.W. (2007) Late Pleistocene human skull from Hofmeyr, South Africa, and modern human origins. *Science*, 315, 226-229.

Grine, F.E., Gunz, P., Betti-Nash, L., Neubauer, S., Morris, A.G. (2010) Reconstruction of the late Pleistocene human skull from Hofmeyr, South Africa. *J. Hum. Evol.* 59, 1-15.

Hayden, E.C. (2013) African genes tracked back. *Nature*, 500, 514.

Hammer, M.F., Woerner, A.E., Mendez, F.L., Watkins, J.C., Wall, J.D. (2011) Genetic evidence for archaic admixture in Africa. *Proc. Natl. Acad. Sci. US*, 108, 15123-15128.

Hammer, M. (2013) Human hybrids. *Scientific American*, May 2013, pp. 66-71.

Hammer, M.F., Woerner, A.E., Mendez, F.L., Watkins, J.C., Wall, J.D. (2011) Genetic evidence for archaic admixture in Africa. *Proc. Natl. Acad. Sci. US*, doi/10.1073/pnas.1109300108.

Hellenthal, G., Auton, A., Falush, D. (2008). Inferring human colonization history using a copying model. *PLOS Genetics*, 4, e1000078.

Henn, B. M., Gignoux, C. R., Jobin, M., Granka, J. M., Macpherson, J. M., Kidd, J. M., Rodríguez-Botigué, L. et al. (2011). Hunter-gatherer genomic diversity suggests a southern African origin for modern humans. *Proc. National Acad. Sci.*, 108, 5154-5162.

Higham, T., Compton, T., Stringer, C., Jacobi, R., Shapiro, B., Trinkaus, E., Chandler, B. et al. (2011). The earliest evidence for anatomically modern humans in North-Western Europe. *Nature*, 479, 521-524.

Hublin, J.-J. (2011). African origin. *Nature*, 476, 395.

Hudjashov, G., Kivisild, T., Underhill, P. A., Endicott, P., Sanchez, J. J., Lin, A. A., Shen, P. et al. (2007). Revealing the prehistoric settlement of Australia by Y-chromosome and mtDNA analysis. *Proc. National Acad. Sci. US*, 104, 8726-8730.

Jobling, M. A., Tyler-Smith, C. (2003) The human Y-chromosome: an evolutionary marker comes of age. *Nature Reviews*, 4, 598-612.

Ke, Y., Su, B., Song, X., Lu, D., Chen, L., Li, H., Qi, C. et al. (2001) African origin of modern humans in East Asia: a tale of 12,000 Y chromosomes. *Science* 292, 1151-1153.

King, T.E., Parkin, E.J., Swinfield, G., Cruciani, F., Scozzari, R., Rosa, A., Lim, S.-K., Xue, Y., Tyler-Smith, C., Jobling, M.A. (2007) Africans in Yorkshire? The deepest-rooting clade of the Y phylogeny within an English genealogy. *Eur. J. Human Genet.* 15, 288-293.

Klyosov, A. A. (2009) DNA genealogy, mutation rates, and some historical evidences written in Y-chromosome. I. Basic principles and the method. *Journal of Genetic Genealogy*, 5, 186-216.

Klyosov, A.A. (2011) The slowest 22 marker haplotype panel (out of the 67 marker panel) and their mutation rate constants employed for calculations timespans to the most ancient common ancestors. *Proceedings of the Russian Academy of DNA Genealogy (ISSN 1942-7484)*, 4, 1240 - 1257.

Klyosov, A.A. (2012) Ancient history of the Arbins, bearers of haplogroup

R1b, from Central Asia to Europe, 16,000 to 1500 years before present. *Adv. Anthropol.* 2, 87-105.

Klyosov, A.A., Rozhanskii, I.L. (2012a) Haplogroup R1a as the Proto Indo-Europeans and the legendary Aryans as witnessed by the DNA of their current descendants. *Adv. Anthropol.* 2, 1-13.

Klyosov, A.A., Rozhanskii, I.L. (2012b) Re-examining the “Out of Africa” theory and the origin of Europeoids (Caucasoids) in light of DNA genealogy. *Adv. Anthropol.* 2, 80-86.

Kolb, A.W., Ane, C., Brandt, C.R. (2013) Using HSV-1 genome phylogenetics to track past human migrations. *PLoS One* 8(10): e76267. doi: 10.1371/journal.pone.0076267

Lachance, J., Vernot, B., Elbers, C.E., Ferwerda, B., Froment, A., Bodo, J.-M., Lema, G. et al. (2012) Evolutionary history and adaptation from high-coverage whole-genome sequences of diverse African hunter-gatherers. *Cell* 150, 1-13.

Lalueza-Fox, C., Römpler, H., Caramelli, D., Stäubert, C., Catalano, G., Hughes, D., Rohland, N., Pilli, E., Longo, L., Condemi, S., de la Rasilla, M., Fortea, J., Rosas, A., Stoneking, M., Schöneberg, T., Bertranpetit, J., Hofreiter, M. (2007) A Melanocortin 1 receptor allele suggests varying pigmentation among Neanderthals. *Science*, 318, 1453-1455.

Li, H., Durbin, R. (2011). Inference of human population history from individual whole genome sequences. *Nature*, 475, 493-496.

Majumder, P. P. (2010). The human genetic history of South Asia. *Current Biology*, 20, R184-R187.

Mellars, P. (2011). The earliest modern humans in Europe. *Nature*, 479, 483-485.

Mendez, F.L., Krahn, T., Schrack, B., Krahn, A.-M., Veeramah, K.R., Woerner, A.E., Fomine, F.L.M., Bradman, N., Thomas, M.G., Karafet, T.M., Hammer, M.F. (2013) An African American paternal lineage adds an extremely ancient root to the human y chromosome phylogenetic tree. *Am. J. Hum. Genet.* 92, 454-459.

Moorjani, P., Patterson, N., Hirschhorn, J. N., Keinan, A., Hao, L., Atzmon, G., Burns, E. et al. (2011). The history of African gene flow into Southern Europeans, Levantines, and Jews. *PLOS Genetics*, 7, e1001373.

Ottoni, C., Primativo, G., Kashani, B. H., Achilli, A., Martinez-Labarga, C., Biondi, G., Torroni, A., & Rickards, O. (2010). Mitochondrial haplogroup H1

in North Africa: An early holocene arrival from Iberia. *Plos One*, 5, e13378.

Patin, E., Laval, G., Barreiro, L. B., Salas, A., Semino, O., Santachiara-Benerecetti, S., Kidd, K. K. et al. (2009). Inferring the demographic history of African farmers and Pygmy hunter-gatherers using a multilocus resequencing data set. *PLOS Genetics*, 5, 1-13.

Poznik, G.D., Henn, B.M., Yee, M.-C., Sliwerska, E., Euskirchen, G.M., Lin, A.A., Snyder, M., Quintana-Murci, L., Kidd, J.M., Underhill, P.A., Bustamante, C.D. (2013) *Science*, 341, 562-565.

Ramachandran, S., Deshpande, O., Roseman, C.C., Rosenberg, N.A., Feldman, M.W., Cavalli-Sforza, L.L. (2005) Support from the relationship of genetic and geographic distance in human populations for a serial founder effect originating in Africa. *Proc. Natl. Acad. Sci. US*. 102, No. 44, 15942-15947.

Rightmire, G.P. (2009) Middle and later Pleistocene hominins in Africa and Southwest Asia. *Proc. Natl. Acad. Sci. US*, 106, 16046-16050.

Sahoo, S., Singh, A., Himabindu, G., Banerjee, J., Sitalaximi, T., Gaikwad, S., Trivedi, R. et al. (2006). A prehistory of Indian Y-chromosomes: Evaluating demic diffusion scenarios. *Proc. National Acad. Sci. US*, 103, 843-848.

Scozzari, R., Massaia, A., D'Atanasio, E., Myres, N.M., Perego, U.A., Trombetta, B., Cruciani, F. (2012) Molecular dissection of the basal clades in the human Y chromosome phylogenetic tree. *PLoS ONE*, 7, No. 11, e49170.

Shi, W., Ayub, Q., Vermeulen, M., Shao, R.-G., Zuniga, S., van der Gaag, K., de Knijff, P. et al. (2010). A worldwide survey of human male demographic history based on Y-SNP and Y-STR data from the HGDP-CEPH populations. *Molecular Biol. Evol.*, 27, 385-393.

Soares, P., Ermini, L., Thompson, N., Normina, M., Rito, T., Rohl, A., Salas, A., Oppenheimer, S., Macaulay, V., & Richards, M. B. (2009). Correcting for purifying selection: an improved human mitochondrial molecular clock. *J. Human Genet.*, 84, 740-759.

Stewart, J. R., & Stringer, C. B. (2012). Human evolution out of Africa: The role of refugia and climate change. *Science*, 335, 1317-1321.

Stoneking, M, & Delfin, F. (2010). The human genetic history of East Asia: Weaving a complex tapestry. *Current Biology*, 20, R188-R193.

Tattersall, I. (2009) Human origins: out of Africa. *Proc. Natl. Acad. Sci. US*, 106, 16018-16021.

Thomson, R., Pritchard, J.K., Shen, P., Oefner, P.J., Feldman, M. (2000) Recent common ancestry of human Y chromosomes: evidence from DNA sequence data. *Proc. Natl. Acad. Sci. US*, 97, 7360-7365.

Underhill, P. A., Shen, P., Lin, A. A., Jin, L., Passarino, G., Yang, W. H., Kauffman, E. et al. (2000). Y-chromosome sequence variation and the history of human populations. *Nature Genetics*, 26, 358-361.

Vigilant, L., Stoneking, M., Harpending, H., Hawkes, K., Wilson, A.C. (1991) African populations and the evolution of human mitochondrial DNA. *Science*, 253, 1503-1507.

Wei, W., Ayub, Q., Xue, Y., Tyler-Smith, C. (2013) A comparison of Y-chromosomal lineage dating using either resequencing or Y-SNP plus Y-STR genotyping. *Forensic Science International: Genetics*, <http://dx.doi.org/10.1016/j.fsigen.2013.03.014>.

Xue, Y., Zerjal, T., Bao, W., Zhu, S., Lim, S.-K., Shu, Q. et al. (2005). Recent spread of a Y-chromosomal lineage in Northern China and Mongolia. *American J. Human Genet.*, 77, 1112-1116.

Yotova, V., Lefebvre, J.-F., Moreau, C., Gbeha, E., Hovhannesyan, K., Bourgeois, S., & Bedarida, S. (2011). An X-linked haplotype of Neandertal origin is present among all non-African populations. *Molecular Biol. Evol.*, 28, 1957-1962.